

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 691 619 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:
10.01.1996 Bulletin 1996/02

(51) Int. Cl.⁶: G06F 15/02

(21) Application number: 95304515.0

(22) Date of filing: 27.06.1995

(84) Designated Contracting States:
DE FR GB

(30) Priority: 27.06.1994 GB 9412871
12.12.1994 GB 9425184

(71) Applicant: RANK XEROX LIMITED
Marlow, Buckinghamshire SL7 1YL (GB)

(72) Inventors:

- Flynn, Michael J.
Cambridge, CB1 1DG (GB)
- Lamming, Michael G.
Cambridge, CB2 2RN (GB)


(74) Representative: Reynolds, Julian David et al
Marlow Buckinghamshire SL7 1YL (GB)

(54) System for accessing and distributing electronic documents

(57) A system including any number workstations, file servers, printers and other fixed devices coupled in a network, and a number of portable devices carried by users and coupled to the network by infrared (IR) link. Each portable device emulates its user's personal satchel for documents: the device is programmed to receive transmit and store document references or tokens, each of which is associated with an electronic document stored in the database. Documents are dis-

tributed from one person to another by transmission of document references or tokens, and a document is sent to a printer by beaming that document's reference or token to an IR transceiver associated with that printer. The portable device is preferably a handheld or wrist-watch computer with a graphical display for enabling the user to transfer documents, and the fixed devices preferably include a scanner/copier/printer having its own IR transceiver.

Fig.3.



EP 0 691 619 A2

Description

This invention relates generally to data access and distribution, and more particularly to a system for transferring electronic documents between portable computer devices, and between such devices and various forms of office equipment.

Electronic documents play an increasing role in our lives. Indeed nowadays many, if not most, documents are created electronically; and we take it for granted that electronic documents are easier to store, retrieve, copy, print, update and distribute than paper documents.

For desk-bound, document-intensive workers this may indeed be the situation, but for people whose jobs require them to be more mobile, existing technology does not greatly assist in such tasks. For a mobile worker, electronic documents are significantly less convenient to *locate, read and distribute*, and yet these activities appear to be the dominant document-intensive activities outside the office. When away from his office or workstation (e.g., for a meeting), a worker is rarely able to access all or most of his electronic documents, and he will often resort to carrying a bulky set of paper documents as a precaution, even though they may not in fact be needed for the meeting.

There are many situations in which a paper document is clearly the most effective medium for exchanging information. Sometimes the intended recipient has no immediate need for the information, but they see a potential need for it in the future. In this situation it seems preferable to exchange the document electronically. Nevertheless they are forced to carry the document back to their office or home (perhaps having first stopped off at a copier or printer to obtain it), and contribute to their stack of paper documents.

Although many documents are created electronically, a relatively small proportion is distributed in that way. For example, if a person (the sender) wants to give an electronic document to someone (the recipient) they are currently talking to, the process essentially requires that the sender must break off the conversation, go to a workstation, and search for the document they wish to hand over; find out the recipient's electronic address; check how best to encode the data for the recipient's machine; and then transfer the document. Compared with simply handing over a paper document this process is disruptive, time-consuming and unreliable. Furthermore, rarely can the sender or the recipient immediately confirm that the document has been successfully transferred between them. To do so requires the recipient to go to his workstation, search for the document and explicitly acknowledge to the sender that the document was received.

Another problem arises even when a person decides to hand over a paper copy to the recipient. If he doesn't have a paper copy to hand, to avoid disruption he will often promise to print the document later and hand it over after the meeting has concluded, a task he may simply forget to do. If it is decided to print out the document there and then, the person must break off from the conversation, find the electronic document, find a printer that isn't in use, send the document to the printer, and then *remember* to go and pick it up when printing is complete. However, people often forget to pick up their output; and if a confidential document has been printed on a shared (network) printer, the sender must ensure that he is on hand to collect it immediately.

A further problem exists for workers who are unable to gain access to their workstation or network: it is now commonplace for members of a committee to travel long distances to attend important meetings. For example, standards committees convene experts from all over the world; and participants try to arrive prepared with all the information they might need to present to their colleagues, respond to questions, or take decisions. Often the committee meets at one of several different locations each time: the European Parliament, for example, regularly moves between Brussels, Luxembourg and Strasbourg. It may be impossible for the attendees to anticipate the document needs, or they may not be able to afford to carry printed versions of everything. When a missing document is needed urgently, the situation can be remedied by a telephone call back to the office to someone who has access to the electronic document and can print it out or fax it to the meeting. At best this disrupts the flow of the meeting, and there is a risk that the document will not be received at all.

It is known to use infrared (IR) communication to transfer electronic documents from one portable computer to another during a meeting - e.g. the Apple® Newton. However, compared with existing electronic communications devices, the (IR) data transfer rate between such machines is very slow: to beam a simple electronic document from one to another, users may need to stand within a few feet of each other and point the IR transmitters of their machines at each other for several minutes.

A further problem is that it is not possible to store large numbers of electronic documents on a portable, hand-held or wristwatch computer. This is the case with documents in, e.g., PostScript, but may be an even greater problem with scanned (bitmapped) documents.

The present invention provides a system for accessing or distributing electronic documents, including: a database of electronic documents and corresponding document references, and a plurality of objects, at least one of said objects preferably being portable or mobile, each object including means for communicating with the or each other object and with a user interface, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.

The present invention further provides a portable device for accessing or distributing electronic documents, including: means for communicating with fixed or mobile electronic devices and with a user interface, at least one of said devices including a database of electronic documents and corresponding document references, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.

5 The present invention further provides an apparatus for scanning, copying and/or printing documents, including: means for accessing a database electronic documents, each electronic document having a corresponding document reference, means for communicating with one or more of a plurality of objects, at least one of said objects preferably being portable or mobile, and with a user interface, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.

10 Each document reference corresponds to a single electronic document, and a document may have any number (e.g., originating from different users) of corresponding document references. For a very small electronic document, the document reference may include the electronic document itself. However, as an example, the document reference suitably comprises a universal resource locator (URL) as defined in the Worldwide Web Information system (see Berners-Lee T.J., Cailliau R., & Groff J.-F., *The Worldwide Web. Computer Networks and ISDN Systems* 25 (1992), pp. 454-459. North-Holland; and Mangers J.J., *World-Wide Web. Mosaic and More* (1995), McGraw-Hill, London).

15 Each electronic document or document reference has a corresponding user interface (UI) representation. The UI representation of the electronic document may comprise in particular an icon or text on a graphical display, a sound, any combination of these, or, broadly, any real or ephemeral object capable of being selected by means of the user interface. The UI command language may be text- or menu-based, or natural language or direct interaction (as in the embodiment described herein), or may use any other suitable method (see Preece J., *Human Computer Interaction* (1994). Addison Wesley).

Alternatively, according to the invention, the or each document reference for an electronic document may be invalidated or even absent (e.g. through deletion): the electronic document remains in the database, but remote access to it using document references/document satchel technology described herein is precluded.

25 The invention is particularly advantageous in that document references take up a comparatively small amount of storage space in memory, and their transmission from one (fixed or mobile) device to another may be accomplished very quickly.

The invention is advantageous, for example, for the worker who visits numerous sites where documents are to be given to him: instead of collecting a bundle of papers, he collects a string of document references in his portable device.

30 The present invention will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a view of the portable device according to one embodiment of the invention;

Figure 2 shows diagrammatically the user interface and icons employed in one embodiment of the invention (a) for a user's workstation, and (b) for the user's portable device;

Figure 3 is a schematic illustration of an embodiment of the networked system according to the invention;

Figure 4 shows successive displays on the portable device of each user corresponding to the sequence in Fig. 3;

Figure 5 is a flow chart of the process (a) carried out in a portable device in exchanging a document token, (b) carried out in a portable device in updating the display thereof, and (c) carried out in a fixed object such as a printer or multifunction machine when a nearby user prints out a document; and

Figure 6 shows schematic representations of various procedures for distributing documents which are may be performed using the present invention.

45 The present invention is based upon PARCTab technology; and the system hardware is described in detail in: (1) Adams N., Gold R., Schilit B.N., Tso M. & Want R., (1993), An Infrared Network for Mobile Computers, in *Proc. USENIX Symposium on Mobile & Location-independent Computing*, pp. 41-52, Cambridge, MA:USENIX; and (2) Schilit B.N., Adams N., Gold R., Tso M., Want R., (1993), The PARCTab Mobile Computing System, in *Proc. 4th Workshop on Workstation Operating Systems (WWOS-IV)*, pp.34-39, Napa, CA:IEEE.

50 The Tab is a form of personal digital assistant (PDA) - a small lightweight portable computer that can be attached to the belt, or carried in a handbag. In the following, the invention is described in particular in relation to the use of such Tabs; however, it will be appreciated that any suitable form of portable computer may be used, and the computer may take the form, for example and subject to design constraints, of a conventional wristwatch. An exemplary system, for transferring data such as document references to and from a wristwatch computer, is disclosed in British patent application No. 9425184.0.

55 As can be seen in Fig. 1, the Tab 2 is equipped with a small bitmap screen 4 which is touch sensitive, enabling user inputs by means of finger tip or pointer 6. The Tab is also provided with 19.2 Kb/s bi-directional IR communications facilities (diode transmitter/receiver) 8, and three buttons 10. It will be appreciated that the wireless communication may alternatively be implemented by means of suitable radio technology well known in the art (see, e.g., Weiser M., *The Computer for the 21st Century*, *Scientific American*, September 1991, pp. 66-75). As a further alternative, any of the

communications links referred to in the present disclosure which are provide by IR links may, where appropriate, be implemented by wired links. The Tab further includes a tone generator 12 for use, for example, in giving audible signals to the user. Within a building, users can carry their Tabs 2 from room to room while moving into and out of contact, or maintaining contact, with a network of stationary servers which provide a wide variety of services. As part of the Tab user interface, various icons 14 are displayed on the screen 4 to provide to the user access to such services, as is well known in the art (see Smith et al., *Designing the Star User Interface*, Byte 7(4) (1982), pp. 242-282).

The invention is implemented by employing a user interface (for example, on each Tab, and elsewhere) whereby the Tab emulates a document satchel. The notion of a satchel is that of a portable holder of documents, enabling transport of the documents to a remote location for later use, distribution, etc. Although in the following an electronic document will be said to be stored in a satchel, a feature of the present invention is that it is an document reference, which identifies the electronic document, which is received by, stored on, and transmitted by the Tab. In the following description, the document reference takes the form of an electronic token which uniquely corresponds to a document. The documents themselves may be stored on a file server, or on the user's personal workstation, on the network. In some cases the token may contain the document, e.g. when the document is very tiny. A typical database of stored documents and respective tokens is illustrated in Table 1. The tokens are shown as 8-bit codes for the purpose of illustration only; and it will be appreciated that the tokens may have any suitable format to suit a desired application.

Document	Token
5000 Series machine specifications	01011010
5045 Maintenance Manual	01101001
Agenda	00101011
...	...
ODP sales pie charts	00010111
5053 Production schedule	01011110

Table 1: Typical documents and tokens in a database.

In any event, the token contains sufficient information for the system to locate the relevant document, as in the case of the above-mentioned URLs. A URL (uniform resource locator) is essentially a way for the World-Wide Web to specify where a particular resource (e.g. document) is located on the Internet, while at the same time describing the tool that is required to access it and specifying the actual file's location on a particular internet host. The situation whereby files on a local machine may be embedded with subdirectories and may exist on different physical disk drives is true the Web also, except that all of this applies to a particular machine on the internet, of which there are hundreds of thousands. Since each machine's file locations differ widely, URLs are used to identify where they reside. In general URLs take the form:

<http://www.ncsa.uiuc.edu/Mosaic/Demo/demo.html>

Many resource types are now available, including in particular ftp: for a FTP (File Transfer Protocol) server - the main method of moving files around on the internet. URLs allow a document to link with other services and documents on the internet.

As an alternative, the user interface may be fully or partially omitted from the PDAs, the PDAs in that case being designed, e.g., to reproduce a suitable user interface when in the vicinity of, and in communication with, a suitable device (e.g., workstation, printer, copier, fax machine, etc) having its own display. In such a case, the PDA may be programmed to emit a 'beep' from its tone generator to indicate transmission and/or receipt of a document; although here the person who has had an electronic 'document' sent to his PDA is unable immediately to determine what the document is.

Figure 2 shows diagrammatically the user interface and icons employed in one embodiment of the invention (a) on the display of a user's workstation, and (b) on the display the user's portable device, so as to represent the contents of his satchel. It will be appreciated by a person skilled in the art that any user interface, icons and/or process for transferring documents from the electronic desktop over the IR link may be employed.

Electronic documents may be placed into the user's satchel using his personal workstation, e.g. a Macintosh. Satchel owners have on their electronic desktop (Fig. 2(a)) a special small folder icon 16 called the Satchel folder, and this preferably has a special icon to distinguish it from other folders on the desktop. The satchel folder behaves just like any

other folder, and the open Satchel window is shown at 18, including the user's name and a list of items in the satchel. An exception compared with other folders is that any document 20 dragged into the folder 18 by a user (e.g. using a conventional mouse to move a pointer 19) automatically initiates a data transfer operation (between the workstation and the user's Tab, e.g. by means of IR communication as discussed above) which results in the icon 22 of the document appearing in the satchel display 24 on the Tab. The information transmitted over the IR link includes the icon type, document name, and the corresponding token, the token being stored in the satchel's (Tab's) memory. It will be appreciated that such a data transfer operation may be accomplished in many other ways, e.g. by simply typing in a command on a keyboard. In one embodiment, a reference to a whole folder, filesystem or network of URLs may be transferred.

The satchel's user interface is implemented in such a way that the satchel contents are displayed on the screen (Fig. 2(b)) as a series of one line entries, each line corresponding to a document token and including a small icon and the name of the document. Down the right hand edge of the display is a scroll bar 26 enabling a user to scroll up or down by pressing (e.g. a pen) on the appropriate arrow 28 of the scroll bar, until the desired entry is found.

In a similar manner, any document appearing on the Tab satchel screen 24 automatically appears in the satchel folder 18 on the the user's desktop, provided the Tab has been within range of an IR transceiver coupled to his workstation, so as to enable the relevant satchel contents data to be downloaded to the workstation. From there, documents in the satchel folder can be opened and edited *in situ*, or they can be dragged out of the the satchel folder and onto the desktop.

Because the satchel (Tab) uses an IR wireless communications system it is easy to discover which other IR-linked devices are within its line of sight. The PARCtab network disclosed in the above-mentioned references (1) & (2) includes IR gateways, one per room, that provide the satchels with a link to the cable network services upon which they rely. However, any suitable location technique can be used to determine where the satchel is. Consequently, each satchel is context-sensitive: each one knows which room it is in at any instant, and which other satchels or IR-linked devices (e.g. printers) are there with it.

Each satchel (Tab) presents this context information to the user, and it takes the form of additional entries on the satchel screen. These entries are not input by the user, but pop up automatically as the user moves around the building carrying his satchel. So, for example, when Mike meets Richard, an entry representing Richard appears in Mike's satchel, and a corresponding entry representing Mike appears on Richard's. Similarly, when Mike is in the same room as a printer, an entry (icon 25 + name) showing the name of the printer appears in his satchel (see Fig. 2(b)). These pop-up entries provide a streamlined way for users to pass documents to each other, or to exchange them with nearby devices.

Referring to Fig. 3, there is shown schematically a networked system for implementing the present invention, and a sequential procedure by which a document is distributed using document satchels. Connected on a conventional network (e.g. ethernet) are a number of electronic devices, such as workstations 30, 32, 34, printers, 36, 38, fax machine 40, and file server 42, these devices being referred to generally as "objects". For the purpose of illustration, that part of the network connecting four rooms is shown; and, for example, rooms 1A, 1B may be in a first building, while rooms 2A, 2B may be in a second building, remote from the first.

In each room 1A-2B at least one IR transceiver 44, 46, 48, 50 is used to provide communication between any Tabs present in the room and the network (see the above-mentioned Schilit *et al.* references). Alternatively, any of the objects 30-42 may be provided with its own IR transceiver for communication with Tabs. Consequently, room 1A contains workstation 30, printer 36 and transceiver 44; room 2B contains file server 42, printer 38 and transceiver 50, and so on.

In Fig. 3, the document distribution process is illustrated by showing the positions of the Tabs of two people, Mike and Richard, and the operations which are performed, at intervals before and after their meeting in one of the rooms. The displays on Mike and Richard's Tabs at the instants t_1 - t_7 during the process of Fig. 3 are shown in Fig. 4.

At time t_1 , Mike is in room 1A (his office) and Richard is in room 2A. As shown in Fig. 4, Mike's satchel contains the (icon for the) document "Agenda" (and therefore has its token stored in its memory), and the icon for his printer (called "Penguin") 36, which appears automatically since printer 36 is located in room 1A. Next, at time t_2 , Mike and Richard meet in room 1B: the icon for the Penguin printer has automatically disappeared from his satchel display; and the icon for Richard's satchel appears in Mike's satchel, and the icon for Mike's satchel appears in Richard's satchel. In addition, the icon for the fax machine 40 automatically appears in both satchels.

At time t_3 , Mike decides to pass a copy of the electronic document "Agenda" to Richard. (If, say, Mike does not have the document he wants to pass on in his satchel, he may employ a memory aid and information retrieval system provided on his Tab, as disclosed in published European patent application EP-A-637,807, corresponding to U.S. application S.N. 08/279,961, in order to locate the document he wants and retrieve its token.) To pass a copy of the electronic document "Agenda" to Richard, Mike simply selects the document icon on the touch screen of his tab using a pen or the like, and copies the icon onto Richard's satchel icon. This initiates a process wherein the digital token (see Table 1) for "Agenda" is beamed over the IR link from Mike's Tab to Richard's Tab. (The time taken for this will depend on the communication protocol used, the use of security encryption, and the size of the token, but in any event is likely to be a very small fraction of the time which would be needed to transfer the entire document via the same link, and typically the time taken will be a fraction of a second.) Thus the token for "Agenda" is stored on Richard's Tab for later distribution or use. When this operation is completed (t_4), the icon for "Agenda" also appears on the screen of Richard's Tab: it is now in his personal satchel.

Next (t_5), Mike returns to room 1A and his satchel display reverts to that existing at t_1 , which is described above. At the same time (say), Richard returns to room 2A: the icons for Mike's satchel and Fax 1B have automatically disappeared from his Tab screen, so that the only item left in his satchel is the document "Agenda" (Fig. 4). Richard now decides that he would like to print out "Agenda", but doesn't have a printer in his office. At t_6 , therefore, he walks into room 2B in the same building which houses the printer 38 called "Picador". The icon for Picador automatically appears as an entry on Richard's Tab screen as a result of the IR communication and object sensing procedure discussed above.

To print out "Agenda", Richard, at time t_7 , simply moves (using a pen to move the pointer on his touch screen) a copy of the icon for "Agenda" onto the Picador icon. As a result, an IR signal is beamed from Richard's Tab to the transceiver 50, or to Picador's own IR transceiver, the signal including the digital token for "Agenda". Using the token, the electronic document "Agenda" is fetched from the database in which is stored (e.g. file server 42; but it may be from any location on the network), or is accessed from Mike's workstation 30, and then printed out on Picador. In one embodiment, Picador may be a "confidential" printer, in which case the document is not printed straight away, but the print operation is deferred. Then, the next time Richard is in the vicinity of Picador, Richard's TAB and Picador sense this (via IR communication); the print operation is commenced by Picador; and Richard's TAB emits an audible 'beep' to tell him to collect the freshly printed document immediately upon printing.

In an alternative embodiment, Richard may submit the document "Agenda" for a third party service (e.g. OCR, summarising, and/or translation service) available on the network; and suitably this is achieved by dragging and dropping the icon for "Agenda" onto a corresponding icon for that service on the TAB screen.

Figure 5 shows a flow chart of the processing carried out in each Tab during an encounter with another Tab or IR-linked object. In step S1 the Tab broadcasts, or initiates the broadcast of, the tab user's identity code to the environment. (This code may be encrypted using shared key technology which is known in the art.) Next, at step S2, the software checks for a legal (valid) user input (in this example, the user copying a document icon to another satchel, or other object, using the touchscreen). If such a legal input is made, the document token is transmitted by IR to the recipient at step S3, and the processing returns to step S1. (The token transmission may include encryption using shared key technology which is known in the art, i.e. anything which has been encrypted with a user's private key can only be decrypted using the public key corresponding to that private key.)

If no such legal input is entered, the software checks at step S4 to see whether any IR signal (e.g. satchel or printer ID, or document token) has been received. If none has been received the processing returns to step S1.

If an IR signal has been received, the software then checks (step S5) to see whether it is an ID (e.g., another satchel). If so, then the received ID is displayed on the tab screen, at step S6, i.e. satchel icon + that satchel user's name. (Again this ID code may need to be decrypted using shared key technology which is known in the art.). The processing then returns to step S1.

If the signal is not an ID, then the software next checks at step S7 whether the received IR signal is a document token. If not, then there is a system error, and this is indicated on the Tab screen. If the received IR signal is a document token, then the document corresponding to the token (i.e. icon + document name) are displayed (step S8) on the tab screen. (Again this ID code may need to be decrypted using shared key technology which is known in the art.). The processing then returns to step S1.

Figure 5(b) is a schematic flow chart of the process carried out in a portable device, in one embodiment of the invention, in updating the display thereof. Figure 5(c) is a schematic flow chart of the process carried out in a fixed object such as a printer or multifunction machine, in one embodiment of the invention, when a nearby user prints out a document.

Figure 6 shows schematic representations of various procedures for distributing documents which may be performed using the present invention. In Fig. 6, item 60 is a multifunction machine equipped with IR communication facilities for wirelessly communicating with tabs, base stations in rooms, and any of the other objects mentioned above which are within range of its IR transmitter at a given time, the machine 60 also being hooked up to the network (see Fig. 3) so as to facilitate rapid transfer of electronic documents between itself and any number of other similar machines 60 or other objects on the network. The machine 60 may for example provide any combination of the functions of scanning, copying, faxing and printing, as is known in the art.

As can be seen in Fig. 6(a), document A is initially scanned by the multifunction machine 60 and its corresponding token is beamed by IR to Ann's Tab, and the relevant icon entry appears in her satchel. Some time later (e.g. when document A is not available), Ann beams the token to the machine 60 (by means of the icon-dragging process described above in relation to Figs 3 and 4, and the machine automatically prints out document A.

In Fig. 6(b), the document A has been created on a user's conventional workstation 62. The user then sends the electronic document to the multifunction machine 60, which then beams by IR the corresponding token to Ann's Tab.

Referring to Fig. 6(c), here two multifunction machines 60, 60' are coupled on a network. Initially document A is scanned in on machine 60 which beams the token to Ann's tab, as in Fig. 6(a). Some time later and, for example at a remote location, Ann decides she wants a hard copy of document A. She simply beams the token to nearby machine 60' (as described with reference to Fig. 6(a)); machine 60' thereupon retrieves the electronic document A over the network from machine 60 or an associated file server (not shown), and then prints out the document.

The distribution and printing of a document (A) is again illustrated in Fig. 6(d). The process is the same as in Fig. 6 (c), except that the token is beamed from Ann to Bob for the latter to print out the document A on the second machine 60'. In an alternative embodiment, the token for document A may be characterised such that Ann is able to receive and transmit it, but not to obtain access to the document itself, e.g. by printing. In this way, Ann is able to 'trade' in a document which is inaccessible to her: she can thus act as a courier for confidential documents.

In Fig. 6(e), the case where the Tab owner is not in the vicinity of a multifunction machine is illustrated: here the machine is linked to a fax machine 66 over the telephone network 64. The document A has been scanned in and stored electronically in a database by machine 60. Later, Ann is at a location where she needs a hard copy of document A and has access to fax machine 66. Using the fax machine she dials up the multifunction machine 60 and, upon gaining access, she operates her Tab to transmit a tone signal down the telephone representing the token for document A and commanding the machine 60 to transmit document A to the fax machine 66. The machine promptly accesses the electronic document A and sends it down the telephone line to the fax machine 66 where it is printed out.

The same operation is illustrated in Fig. 6(f), with the exception that in this case the fax machine 66' is equipped with its own IR transceiver 68, enabling the token for document A to be beamed by IR from Ann's Tab to the transceiver 68 and then electronically conveyed from the fax machine 66' to the multifunction machine 60.

The embodiment illustrated in Fig. 6(g) makes use of radiopaging technology. Bob is equipped with a radiopager, or a Tab which emulates a radiopager, and while away from his office contacts Ann to let her know that he requires a copy of document A. Ann scans in document A in the multifunction machine 60, and then commands the machine to transmit the token for document A over the pager network 70 to Bob's pager (Tab). Bob is then able to go to any printer, fax, etc adapted to receive such tokens, and to print out a copy of document A.

Numerous further embodiments will be apparent to persons skilled in the art. For example, the satchel may be implemented using a (GSM) portable telephone coupled to a PCMCIA cellular data card which can be plugged into a palmtop or notebook computer. Alternatively, the satchel functionality may be incorporated into a pager or mobile phone.

Claims

1. A system for accessing or distributing electronic documents, including: a database of electronic documents and corresponding document references, and a plurality of objects, at least one of said objects preferably being portable or mobile, each object including means for communicating with the or each other object and with a user interface, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.
2. A portable device for accessing or distributing electronic documents, including: means for communicating with fixed or mobile electronic devices and with a user interface, at least one of said devices including a database of electronic documents and corresponding document references, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.
3. The device according to claim 2, wherein said user interface is integral with the device.
4. The device according to claim 2 or 3, further including means for displaying a representation of the or each document whose reference is stored in the device.
5. An apparatus for scanning, copying and/or printing documents, including: means for accessing a database of electronic documents, each electronic document having a corresponding document reference, means for communicating with one or more of a plurality of objects, at least one of said objects preferably being portable or mobile, and with a user interface, and means for receiving, storing or transmitting a document reference corresponding to one of said electronic documents.
6. The system, device or apparatus of any of the preceding claims, wherein the means for communicating includes an infrared transceiver.
7. The system, device or apparatus of any of the preceding claims, further including means for determining whether one or more other objects are located in the vicinity thereof.
8. The system, device or apparatus of claim 7, wherein the determining means includes means for identifying the or each object found to be in the vicinity thereof.
9. The system, device or apparatus of claim 8, further including means for displaying a representation of the or each object found to be in the vicinity thereof.

10. The device of claim 9 when dependent on claim 4, wherein said user interface is adapted to highlight the representation of one of said documents upon its selection by a user, and the device further includes means for initiating transmission of the document reference corresponding to said one document to another object upon the user copying the representation of said document onto the representation of said object.

5

10

15

20

25

30

35

40

45

50

55

Fig.1.




Fig.2(a).




Fig.2(b).




Fig.3.




Fig.4.





Fig.5(a).






Fig. 5(b)




Fig. 5(c)

Fig.6(a).




Fig.6(b).




Fig.6(c).




Fig.6(d).




Fig.6(e).




Fig.6(f).





Fig.6(g).



This Page Blank (uspto)

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 691 619 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3:
04.06.1997 Bulletin 1997/23

(51) Int. Cl.⁶: G06F 15/02

(43) Date of publication A2:
10.01.1996 Bulletin 1996/02

(21) Application number: 95304515.0

(22) Date of filing: 27.06.1995

(84) Designated Contracting States:
DE FR GB

(30) Priority: 27.06.1994 GB 9412871
12.12.1994 GB 9425184

(71) Applicant: RANK XEROX LIMITED
Marlow, Buckinghamshire SL7 1YL (GB)


(72) Inventors:

- Flynn, Michael J.
Cambridge, CB1 1DG (GB)
- Lamming, Michael G.
Cambridge, CB2 2RN (GB)

(74) Representative: Reynolds, Julian David et al
Rank Xerox Ltd
Patent Department
Parkway
Marlow Buckinghamshire SL7 1YL (GB)

(54) System for accessing and distributing electronic documents

(57) A system including any number workstations, file servers, printers and other fixed devices coupled in a network, and a number of portable devices carried by users and coupled to the network by infrared (IR) link. Each portable device emulates its user's personal satchel for documents: the device is programmed to receive transmit and store document references or tokens, each of which is associated with an electronic document stored in the database. Documents are distributed from one person to another by transmission of document references or tokens, and a document is sent to a printer by beaming that document's reference or token to an IR transceiver associated with that printer. The portable device is preferably a handheld or wrist-watch computer with a graphical display for enabling the user to transfer documents, and the fixed devices preferably include a scanner/copier/printer having its own IR transceiver.



EP 0 691 619 A3



European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 95 30 4515

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.6)
A	WO 94 12938 A (COMPAQ COMPUTER CORPORATION) * page 3, line 9 - page 6, line 32 * * page 26, line 23 - page 30, line 3 * * claims 1-9 *	1,2,5	G06F15/02
A	IBM TECHNICAL DISCLOSURE BULLETIN, vol. 36, no. 12, December 1993, NEW YORK, US, page 273 XP000418967 "TRANSCOME - Transportable Computing Environment" * the whole document *	1,2,5	
			TECHNICAL FIELDS SEARCHED (Int.Cl.6)
			G06F
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 25 March 1997	Examiner McDonagh, F
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons A : technological background O : non-written disclosure P : intermediate document & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category			

EPO FORM 1503 (3.92) (P0401)

From the INTERNATIONAL SEARCHING AUTHORITY

PCT

NOTIFICATION OF TRANSMITTAL OF
THE INTERNATIONAL SEARCH REPORT
OR THE DECLARATION

(PCT Rule 44.1)

To:

RANK XEROX Ltd
Patent Department
Attn. REYNOLDS, J.D.
Parkway Marlow
Buckinghamshire SL7 14L
UNITED KINGDOM

Date of mailing
(day/month/year)

03/09/1998

Applicant's or agent's file reference

R/97005/JDR

FOR FURTHER ACTION

See paragraphs 1 and 4 below

International application No.

PCT/IB 98/ 00757

International filing date

(day/month/year)

23/04/1998

Applicant

XEROX CORPORATION et al.

1. ☒ The applicant is hereby notified that the International Search Report has been established and is transmitted herewith.

Filing of amendments and statement under Article 19

The applicant is entitled, if he so wishes, to amend the claims of the International Application (see Rule 46):

When? The time limit for filing such amendments is normally 2 months from the date of transmittal of the International Search Report; however, for more details, see the notes on the accompanying sheet.

Where? Directly to the International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland
Facsimile No.: (41-22) 740.14.35

For more detailed instructions, see the notes on the accompanying sheet.

2. ☐ The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.

3. ☐ With regard to the protest against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that:

☐ the protest together with the decision thereon has been transmitted to the International Bureau together with the applicant's request to forward the texts of both the protest and the decision thereon to the designated Offices.

☐ no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.

4. **Further action(s):** The applicant is reminded of the following:

Shortly after **18 months** from the priority date, the international application will be published by the International Bureau. If the applicant wishes to avoid or postpone publication, a notice of withdrawal of the international application, or of the priority claim, must reach the International Bureau as provided in Rules 90bis.1 and 90bis.3, respectively, before the completion of the technical preparations for international publication.

Within **19 months** from the priority date, a demand for international preliminary examination must be filed if the applicant wishes to postpone the entry into the national phase until 30 months from the priority date (in some Offices even later).

Within **20 months** from the priority date, the applicant must perform the prescribed acts for entry into the national phase before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.

Name and mailing address of the International Searching Authority

European Patent Office, P.B. 5818 Patentlaan 2
NL-2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Lucia Van Pinxteren

This Page Blank (uspto)

These Notes are intended to give the basic instructions concerning the filing of amendments under article 19. The Notes are based on the requirements of the Patent Cooperation Treaty, the Regulations and the Administrative Instructions under that Treaty. In case of discrepancy between these Notes and those requirements, the latter are applicable. For more detailed information, see also the PCT Applicant's Guide, a publication of WIPO.

In these Notes, "Article", "Rule", and "Section" refer to the provisions of the PCT, the PCT Regulations and the PCT Administrative Instructions respectively.

INSTRUCTIONS CONCERNING AMENDMENTS UNDER ARTICLE 19

The applicant has, after having received the international search report, one opportunity to amend the claims of the international application. It should however be emphasized that, since all parts of the international application (claims, description and drawings) may be amended during the international preliminary examination procedure, there is usually no need to file amendments of the claims under Article 19 except where, e.g. the applicant wants the latter to be published for the purposes of provisional protection or has another reason for amending the claims before international publication. Furthermore, it should be emphasized that provisional protection is available in some States only.

What parts of the international application may be amended?

Under Article 19, only the claims may be amended.

During the international phase, the claims may also be amended (or further amended) under Article 34 before the International Preliminary Examining Authority. The description and drawings may only be amended under Article 34 before the International Examining Authority.

Upon entry into the national phase, all parts of the international application may be amended under Article 28 or, where applicable, Article 41.

When?

Within 2 months from the date of transmittal of the international search report or 16 months from the priority date, whichever time limit expires later. It should be noted, however, that the amendments will be considered as having been received on time if they are received by the International Bureau after the expiration of the applicable time limit but before the completion of the technical preparations for international publication (Rule 46.1).

Where not to file the amendments?

The amendments may only be filed with the International Bureau and not with the receiving Office or the International Searching Authority (Rule 46.2).

Where a demand for international preliminary examination has been/is filed, see below.

How?

Either by cancelling one or more entire claims, by adding one or more new claims or by amending the text of one or more of the claims as filed.

A replacement sheet must be submitted for each sheet of the claims which, on account of an amendment or amendments, differs from the sheet originally filed.

All the claims appearing on a replacement sheet must be numbered in Arabic numerals. Where a claim is cancelled, no renumbering of the other claims is required. In all cases where claims are renumbered, they must be renumbered consecutively (Administrative Instructions, Section 205(b)).

The amendments must be made in the language in which the international application is to be published.

What documents must/may accompany the amendments?

Letter (Section 205(b)):

The amendments must be submitted with a letter.

The letter will not be published with the international application and the amended claims. It should not be confused with the "Statement under Article 19(1)" (see below, under "Statement under Article 19(1)").

The letter must be in English or French, at the choice of the applicant. However, if the language of the international application is English, the letter must be in English; if the language of the international application is French, the letter must be in French.

This Page Blank (uspto)

The letter must indicate the differences between the claims as filed and the claims as amended. It must, in particular, indicate, in connection with each claim appearing in the international application (it being understood that identical indications concerning several claims may be grouped), whether

- (i) the claim is unchanged;
- (ii) the claim is cancelled;
- (iii) the claim is new;
- (iv) the claim replaces one or more claims as filed;
- (v) the claim is the result of the division of a claim as filed.

The following examples illustrate the manner in which amendments must be explained in the accompanying letter:

1. [Where originally there were 48 claims and after amendment of some claims there are 51]:
"Claims 1 to 29, 31, 32, 34, 35, 37 to 48 replaced by amended claims bearing the same numbers; claims 30, 33 and 36 unchanged; new claims 49 to 51 added."
2. [Where originally there were 15 claims and after amendment of all claims there are 11]:
"Claims 1 to 15 replaced by amended claims 1 to 11."
3. [Where originally there were 14 claims and the amendments consist in cancelling some claims and in adding new claims]:
"Claims 1 to 6 and 14 unchanged; claims 7 to 13 cancelled; new claims 15, 16 and 17 added." or
"Claims 7 to 13 cancelled; new claims 15, 16 and 17 added; all other claims unchanged."
4. [Where various kinds of amendments are made]:
"Claims 1-10 unchanged; claims 11 to 13, 18 and 19 cancelled; claims 14, 15 and 16 replaced by amended claim 14; claim 17 subdivided into amended claims 15, 16 and 17; new claims 20 and 21 added."

"Statement under article 19(1)" (Rule 46.4)

The amendments may be accompanied by a statement explaining the amendments and indicating any impact that such amendments might have on the description and the drawings (which cannot be amended under Article 19(1)).

The statement will be published with the international application and the amended claims.

It must be in the language in which the international application is to be published.

It must be brief, not exceeding 500 words if in English or if translated into English.

It should not be confused with and does not replace the letter indicating the differences between the claims as filed and as amended. It must be filed on a separate sheet and must be identified as such by a heading, preferably by using the words "Statement under Article 19(1)."

It may not contain any disparaging comments on the international search report or the relevance of citations contained in that report. Reference to citations, relevant to a given claim, contained in the international search report may be made only in connection with an amendment of that claim.

Consequence if a demand for international preliminary examination has already been filed

If, at the time of filing any amendments under Article 19, a demand for international preliminary examination has already been submitted, the applicant must preferably, at the same time of filing the amendments with the International Bureau, also file a copy of such amendments with the International Preliminary Examining Authority (see Rule 62.2(a), first sentence).

Consequence with regard to translation of the international application for entry into the national phase

The applicant's attention is drawn to the fact that, where upon entry into the national phase, a translation of the claims as amended under Article 19 may have to be furnished to the designated/elected Offices, instead of, or in addition to, the translation of the claims as filed.

For further details on the requirements of each designated/elected Office, see Volume II of the PCT Applicant's Guide.

This Page Blank (uspto)